

Acer ezDock

User's Guide

Changes may be made periodically to the information in this publication without obligation to notify any person of such revisions or changes. Such changes will be incorporated in new editions of this manual or supplementary documents and publications. This company makes no representations or warranties, either expressed or implied, with respect to the contents hereof and specifically disclaims the implied warranties of merchantability or fitness for a particular purpose.

Record the model number, serial number, purchase date, and place of purchase information in the space provided below. The serial number and model number are recorded on the label affixed to your computer. All correspondence concerning your unit should include the serial number, model number, and purchase information.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronically, mechanically, by photocopy, recording, or otherwise, without the prior written permission of Acer Incorporated.

Acer ezDock

Model number: _____

Serial number: _____

Purchase date: _____

Place of purchase: _____

Acer and the Acer logo are registered trademarks of Acer Incorporated. Other companies product names or trademarks are used herein for identification purposes only and belong to their respective companies.

Connecting to a power supply



Connecting to a notebook PC



- 1 Pull out the connector from the connector slot and remove the cap
- 2 Align the connector with the designated port on the notebook PC and push firmly

Disconnecting from a notebook PC.



- 1 Please be sure to click "Undock Computer" on the taskbar before disconnecting the Acer ezDock.




- 2 Press the releasing catches on both sides of the connector as shown and pull gently to detach the Acer ezDock from the notebook PC.
- 3 Cover the connector with the cap and return it to the connector slot.

An Acer ezDock tour

After setting up your Acer ezDock and the power supply as illustrated, let us show you around your new Acer ezDock.

Front view



#	Item	#	Item
1 & 2	Universal PS/2 Keyboard / mouse connector 	3	Two USB 2.0 ports 
4	Modem port 	5	Ethernet port 
6	Serial port 	7	Parallel port 
8	150W power connector (manufacturing option) 	9	135W power connector (manufacturing option) 

#	Item	#	Item
10	Security keylock 	11	DVI-D Port (for Digital visual input)
12	S-video 	13	Headphone / Line out jack (based on system support) 
14	Microphone in jack 	15	Line in jack 
16	S/PDIF output jacks (for digital audio equipment).	17	External display port 
18	Power indicators		

Rear view




#	Item
1	124 pin connector, connects to the expansion port of a Notebook PC
2	Connector cap, protects the connector when not in use.

Right view



#	Item	#	Item
1	Four pin IEEE 1394 port 1394	2	Six pin IEEE 1394 port 1394 supports power upto 30 Watt.
3	Four USB 2.0 ports 		

Left view



#	Item	#	Item	#	Item
1	PC Card slot	2	PC Card eject button	3	PCI Express™ Card slot



.....

To insert a PCI express card, push the card gently until it clicks.
To eject, push the card gently until it clicks. Allow it to spring back before pulling.

Features

Below is a brief summary of the Acer ezDock's many features:

Performance

- Simple one plug design - easy to connect
- System power can be supplied from Acer ezDock
- Communicates with the system by a connector, 120 signal pins and 4 power pins
- PCI-E signal via cable from system to Acer ezDock
- 7.1 audio solution via SPDIF (Based on system design)
- Supports up to six USB 2.0 ports, 1.5A for each 2 ports, total 5A
- Supports two 1394 ports, six pin supports power upto 30 watt
- Supports one Wide Express card slot and one PCMCIA type II card slot
- Supports Giga-LAN (RJ45)
- Supports modem (RJ11)
- Supports analog VGA and DVI-D
- Supports one parallel port and one serial port and two universal PS2 ports for legacy devices.

Power supply

135 Watt PSU model no. technical note

- ADP-135DB BBAInput 100-240 V AC, output 19 V DC, 135 W
- PA-1131-08ACInput 100-240 V AC, output 19 V DC, 135 W

150 Watt PSU model no. technical note

- ADP-150CB BBAInput 100-240 V AC, output 19 V DC, 150 W
- PA-1151-08AQInput 100-240 V AC, output 19 V DC, 150 W

Special notice

The usage guide below shows the ports available for use once Acer ezDock is connected to a Notebook PC.

Functions	Both Acer ezDock and system ports available	Either Acer ezDock or system port available	Acer ezDock Port available only
USB	O		
1394	O		
PCMCIA	O		
New Card	O		
Modem	O		
Line-In		O	
HP-Out		O	
Mic-In		O	
PS2		O	
COM		O	
Parallel		O	
SPDIF-Out		O	
LAN			O
DVI			O
VGA			O
TV-Out			O

Appendix A

Regulations and Safety Notices

This appendix lists the general notices of your Acer ezDock.

FCC notice

This device has been tested and found to comply with the limits for a Class B digital device pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This device generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation. If this device does cause harmful interference to radio or television reception, which can be determined by turning the device off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the device and receiver.
- Connect the device into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/television technician for help.

Notice: Shielded cables

All connections to other computing devices must be made using shielded cables to maintain compliance with FCC regulations.

Notice: Peripheral devices

Only peripherals (input/output devices, terminals, printers, etc.) certified to comply with the Class B limits may be attached to this equipment. Operation with non-certified peripherals is likely to result in interference to radio and TV reception.



Caution: Changes or modifications not expressly approved by the manufacturer could void the user's authority, which is granted by the Federal Communications Commission, to operate this device.

Operating conditions

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Notice for users in Canada

This Class B digital apparatus complies with Canadian ICES-003.

Remarque a l'intention des utilisateurs canadiens

Cet appareil numerique de la classe B est conforme a la norme NMB-003 du Canada.

Замечание для РФ

Соответствует сертификатам, обязательным в РФ



ME61

Стенная розетка должна быть правильно заземлена

Modem notices

Notice for users in the USA

This equipment complies with Part 68 of the FCC rules. Located on the bottom side of the modem is a label that contains, among other information, the FCC Registration Number and Ringer Equivalence Number (REN) for this equipment. Upon request, you must provide this information to your telephone company.

If your telephone equipment causes harm to the telephone network, the telephone company may discontinue your service temporarily. If possible, they will notify you in advance. But, if advance notice is not practical, you will be notified as soon as possible. You will also be informed of your right to file a complaint with the FCC.

Your telephone company may make changes in its facilities, equipment, operations, or procedures that could affect the proper functioning of your equipment. If they do, you will be notified in advance to give you an opportunity to maintain uninterrupted telephone service.

If this equipment should fail to operate properly, disconnect the equipment from the phone line to determine if it is causing the problem. If the problem is with the equipment, discontinue use and contact your dealer or vendor.



Caution: To reduce the risk of fire, use only No. 26 AWG or larger UL Listed or CSA Certified Telecommunication Line Cord.

Notice for users in the EU (TBR 21)

This equipment has been approved [Council Decision 98/482/EC - "TBR 21*"] for single terminal connection to the Public Switched Telephone Network (PSTN). However, due to differences between the individual PSTNs provided in different countries, the approval does not, of itself, give an unconditional assurance of successful operation on every PSTN termination point. In the event of problems, you should contact your equipment supplier in the first instance.

List of applicable countries

EU member states as of May 2004 are: Belgium, Denmark, Germany, Greece, Spain, France, Ireland, Italy, Luxembourg, the Netherlands, Austria, Portugal, Finland, Sweden, United Kingdom, Estonia, Latvia, Lithuania, Poland, Hungary, Czech Republic, Slovak Republic, Slovenia, Cyprus and Malta. Usage is allowed in the countries of the European Union, as well as Norway, Switzerland, Iceland and Liechtenstein. This device must be used in strict accordance with the regulations and constraints in the country of use. For further information, please contact a local office in the country of use.

Notice for users in Australia

For safety reasons, only connect headsets with a telecommunications compliance label. This includes customer equipment previously labelled Permitted or Certified.

Notice for users in New Zealand

For a modem with approval number PTC 211/01/030:

- 1 The grant of a Telepermit for any item of terminal equipment indicates only that Telecom has accepted that the item complies with minimum conditions for connection to its network. It indicates no endorsement of the product by Telecom, nor does it provide any sort of warranty. Above all, it provides no assurance that any item will work correctly in all respects with another item of Telepermitted equipment of a different make or model, nor does it imply that any product is compatible with all of Telecom's network services.
- 2 This device is equipped with pulse dialling while the Telecom standard is DTMF tone dialling. There is no guarantee that Telecom lines will always continue to support pulse dialling.
- 3 Use of pulse dialling, when this equipment is connected to the same line as other equipment, may give rise to a bell tinkle or noise and may also cause a false answer condition. Should such problems occur, the user should NOT contact the Telecom Fault Service.
- 4 This equipment may not provide for the effective hand-over of a call to another device connected to the same line.
- 5 Under power failure conditions, this appliance may not operate. Please ensure that a separate telephone, not dependent on local power, is available for emergency use.
- 6 Some parameters required for compliance with Telecom's Telepermit requirements are dependent on the equipment (PC) associated with this device. The associated equipment shall be set to operate within the following limits for compliance with Telecom's specifications, and the associated equipment shall be set to ensure that calls are answered between 3 and 30 seconds of receipt of ringing.
- 7 This equipment shall not be set up to make automatic calls to Telecom's 111 Emergency Service.

Important safety instructions

Read these instructions carefully. Save them for future reference.

- 1 Follow all warnings and instructions marked on the product.
- 2 Unplug this product from the wall outlet before cleaning. Do not use liquid cleaners or aerosol cleaners. Use a damp cloth for cleaning.
- 3 Do not use this product near water.
- 4 Do not place this product on an unstable cart, stand, or table. The product may fall, causing serious damage to the product.
- 5 Slots and openings are provided for ventilation to ensure reliable operation of the product and to protect it from overheating. These openings must not be blocked or covered. The openings should never be blocked by placing the product on a bed, sofa, rug, or other similar surface. This product should never be placed near or over a radiator or heat register, or in a built-in installation unless proper ventilation is provided.
- 6 This product should be operated from the type of power indicated on the marking label. If you are not sure of the type of power available, consult your dealer or local power company.
- 7 Do not allow anything to rest on the power cord. Do not locate this product where people will walk on the cord.
- 8 If an extension cord is used with this product, make sure that the total ampere rating of the equipment plugged into the extension cord does not exceed the extension cord ampere rating. Also, make sure that the total rating of all products plugged into the wall outlet does not exceed the fuse rating.
- 9 Never push objects of any kind into this product through the cabinet slots as they may touch dangerous voltage points or short out parts that could result in a fire or electric shock. Never spill liquid of any kind on the product.
- 10 Do not attempt to service this product yourself, as opening or removing covers may expose you to dangerous voltage points or other risks. Refer all servicing to qualified service personnel.
- 11 Unplug this product from the wall outlet and refer servicing to qualified service personnel under the following conditions:
 - a When the power cord or plug is damaged or frayed.
 - b If liquid has been spilled into the product.

- c If the product has been exposed to rain or water.
 - d If the product does not operate normally when the operating instructions are followed. Adjust only those controls that are covered by the operating instructions since improper adjustment of other controls may result in damage and will often require extensive work by a qualified technician to restore the product to normal condition.
 - e If the product has been dropped or the case has been damaged.
 - f If the product exhibits a distinct change in performance, indicating a need for service.
- 12 To avoid the hazard of unexpected electrical shock, use the AC adaptor only when the wall AC socket is ensured to be properly grounded.
- 13 Use only the proper type of power supply cord set (provided in your accessories box) for this unit. It should be a detachable type: UL listed/CSA certified, type SPT-2, rated 7 A 125 V minimum, VDE approved or its equivalent. Maximum length is 4.6 metres (15 feet).
- 14 Always disconnect all telephone lines from the wall outlet before serving or disassembling this equipment.
- 15 Avoid using a telephone (other than a cordless type) during an electrical storm. There may be a remote risk of electric shock from lightning.
- ** Attached below:**
- 1) Declaration of Conformity for CE marking letter.
 - 2) Federal Communications Commission Declaration of Conformity letter.



Acer Incorporated
8F, 88, Sec. 1, Hsin Tai Wu Rd., Hsichih
Taipei Hsien 221, Taiwan, R O C

Tel 886 2 2696 1234
Fax 886 2 2696 3535
www acer com



Declaration of Conformity for CE marking

We,
Acer Inc.
8F, 88, Sec. 1, Hsin Tai Wu Rd., Hsichih,
Taipei Hsien 221, Taiwan, R. O. C.

Contact Person: Mr. Easy Lai
Tel: 886-2-8691-3089 Fax: 886-2-8691-3000
E-mail: easy_lai@acer.com.tw

Hereby declare that:

Product:	Docking Station
Trade Name:	Acer ezDock
Machine Type:	ezDock

Is in compliance with the essential requirements and other relevant provisions of the following EC directives.

Reference No.	Title
89/336/EEC	Electromagnetic Compatibility (EMC directive)
73/23/EEC	Low Voltage Directive (LVD)
1999/5/EC	Radio & Telecommunications Terminal Equipment Directive (R&TTE)

The product specified above was tested conforming to the applicable Rules under the most accurate measurement standards possible, and that all the necessary steps have been taken and are in force to assure that production units of the same product will continue to comply with the requirements.

Easy Lai

Easy Lai/ Director
Qualification Center
Product Assurance, Acer Inc.

2005/1/17

Date

**Federal Communications Commission
Declaration of Conformity**

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

The following local Manufacturer/Importer is responsible for this declaration:

Product:	Docking Station
Machine Name:	Acer ezDock
Name of Responsible Party:	Acer America Corporation
Address of Responsible Party:	2641 Orchard Parkway, San Jose CA 95134, U. S. A.
Contact Person:	Mr. Young Kim
Phone No.:	408-922-2909
Fax No.:	408-922-2606